


FACULTY OF AGRICULTURE
UNIVERSITY OF BELGRADE
SERBIA

POLJOPRIVREDNI FAKULTET
UNIVERZITET U BEOGRADU
SRBIJA



VII INTERNATIONAL
CONFERENCE

VII MEĐUNARODNA
KONFERENCIJA

WATER & FISH

CONFERENCE
PROCEEDINGS
June 10 - 12, 2015

ZBORNIK
RADOVA
10. - 12. Jun 2015.

UNIVERSITY OF BELGRADE FACULTY OF AGRICULTURE - SERBIA

**SUPPORTED BY
EUROPEAN AQUACULTURE SOCIETY, EAS
AND
PAN-HELLENIC SOCIETY OF TECHNOLOGISTS ICHTHYOLOGISTS,
(PASTI)**

IN THE FRAME OF THE EU FP7 PROJECT - AREA

**7th INTERNATIONAL CONFERENCE
“WATER & FISH”**

CONFERENCE PROCEEDINGS

**Faculty of Agriculture, Belgrade-Zemun, Serbia
June, 10 – 12. 2015.**

PUBLISHER
University of Belgrade, Faculty of Agriculture

FOR THE PUBLISHER
Prof. Dr. Milica Petrović

EDITORS IN CHIEF
Prof. Dr. Vesna Poleksić and Prof. Dr. Zoran Marković

EDITORIAL BOARD
Zoran Marković, Vesna Poleksić, Radmila Stikić, Ákos Horváth, Ulfert Focken, Christian Schlechtriem, Johannes Pucher, Michael Chatziefstathiou, Mette Sørensen, Dušan Palić, Adrian Grozea, Piet Spaak, Tania Hubenova, Milena Mičić, Daniel Žarski, Jelena Lujčić, Jaroslav Andreji, Aleksandar Joksimović, Nebojša Savić, Jovanka Lević, Mirjana Lenhardt, Aurelija Spirić, Miroslav Čirković, Zorka Dulić, Ivana Živić, Renata Relić

COMPUTER DESIGN
Božidar Rašković

TECHNICAL PREPARATION OF A COVER
Božidar Rašković

PRINTED BY
GRAPHIC, Novi Sad

NUMBER OF COPIES PRINTED
400 COPIES

ORGANIZATION OF THE CONFERENCE SUPPORTED BY:
Ministry of Education, Science and Technological Development Republic of Serbia
Ministry of Agriculture and Environmental Protection
Provincial Secretariat for Agriculture, Water and Forestry AP Vojvodina

GENERAL DONOR
Veterinary Institute "Subotica"

UNIVERZITET U BEOGRADU, POLJOPRIVREDNI FAKULTET - SRBIJA

UZ PODRŠKU
EVROPSKOG DRUŠTVA ZA AKVAKULTURU, EAS
I
PAN-HELENSKOG DRUŠTVA TEHNOLOGA IHTIOLOGA

U OKVIRU PROGRAMA
EU FP7 PROJEKTA AREA

VII MEĐUNARODNA KONFERENCIJA
”VODA I RIBA”

ZBORNİK PREDAVANJA

Poljoprivredni fakultet, Beograd– Zemun, Srbija
10. – 12. jun, 2015. godine

IZDAVAČ
Univerzitet u Beogradu, Poljoprivredni fakultet

ZA IZDAVAČA:
Prof. dr Milica Petrović

GLAVNI I ODGOVORNI UREDNICI
Prof. dr Vesna Poleksić i Prof. dr Zoran Marković

NAUČNI ODBOR
Zoran Marković, Vesna Poleksić, Radmila Stikić, Ákos Horváth, Ulfert Focken, Christian Schlechtriem, Johannes Pucher, Michael Chatziefstathiou, Mette Sørensen, Dušan Palić, Adrian Grozea, Piet Spaak, Tania Hubenova, Milena Mičić, Daniel Žarski, Jelena Lujic, Jaroslav Andreji, Aleksandar Joksimović, Nebojša Savić, Jovanka Lević, Mirjana Lenhardt, Aurelija Spirić, Miroslav Ćirković, Zorka Dulić, Ivana Živić, Renata Relić

RAČUNARSKA OBRADA
Božidar Rašković

TEHNIČKO UREĐENJE KORICA
Božidar Rašković

ŠTAMPA
GRAPHIC, Novi Sad

TIRAŽ
400 primeraka

Održavanje skupa pomoglo:
Ministarstvo prosvete, nauke i tehnološkog razvoja Republike Srbije
Ministarstvo poljoprivrede i zaštite životne sredine Republike Srbije
Pokrajinski sekretarijat za poljoprivredu, vodoprivredu i šumarstvo AP Vojvodine

GENERALNI DONATOR
Veterinarski zavod „Subotica“

CONTENTS:

Chatziefstathiou, M., Matsiori, S.: THE ENHANCED ROLE OF REGIONAL COLLABORATION FOR THE SUSTAINABLE DEVELOPMENT OF AQUACULTURE AND FISHERIES: MACROREGIONAL STRATEGIES (DANUBE, ADRIATIC - IONIAN) AND REFORMED EU COMMON FISHERIES POLICY	1
Varadi L., Bekefi, B.E.: GOVERNANCE IN AQUACULTURE IN CENTRAL AND EASTERN EUROPE AND THE ROLE OF PRODUCERS ASSOCIATIONS	12
Pucher, J., Hölzle, L., Thomas, A., Focken, U., Schlechtriem, C., Feucht, Y., Schumann, M., Váradi, L., Halasi-Kovács, B., Urbányi, B., Bokor, Z., Horváth, Á., Tarnai-Király, Z., Péteri, A., Policar, T., Poleksić, V., Matulic, D., Borda, D., Grozea, A., Raspor, P., Zunabović, M., Hubenova, T., Grigorov, B., Pilarczyk, A., Bekh, V.: FRESHWATER AQUACULTURE IN CENTRAL AND EASTERN EUROPE: NEEDS FOR RESEARCH AND DEVELOPMENT	18
Žarski, D., Krejszeff, S., Palińska-Žarska, K., Bernath, G., Urbanyi, B., Bokor, Z.: THE SPAWNING EFFICIENCY INDEX AS A TOOL IN AQUACULTURE RESEARCH AND PRODUCTION	23
Ćirković, M., Kartalović B., Babić, J., Pelić, M., Novakov, N., Jovanović, S., Đorđević, V.: IMPLEMENTATION OF FISHING TECHNOLOGIES AND SUSTAINABLE DEVELOPMENT IN SLAUGHTERHOUSE SYSTEMS	29
Varadi, L., Borbely, G., Levai, F., Hoitsy, G.: SUSTAINABLE INTENSIFICATION IN FRESHWATER FISH FARMING IN HUNGARY	33
Révész, N., Kumar, Sh., Csávás, B.K., Percze, V., Sándor, J.Z.: POSSIBILITIES OF THE USE OF MICROENCAPSULATED DIETS FOR COMMON CARP (<i>CYPRINUS CARPIO</i>) LARVAE	39
Marković, Z., Stanković, M., Živić, I., Dulić, Z., Rašković, B., Vukojević, D., Relić, R., Poleksić, V.: THE CARP, FROM THE AQUATIC FIELD TO THE DISH: KEY POINTS IN THE SEMI INTENSIVE PRODUCTION AND PLACEMENT	44
Focken, U., Krome, C., Jauncey, K.: DO OXALATES FROM PLANT-BASED AQUAFEEDS IMPEDE GROWTH OF COMMON CARP (<i>CYPRINUS CARPIO</i>)?	49
Adámek Z., Mössmer, M., Bauer, Ch.: CURRENT ISSUES AND PRINCIPLES OF COMMON CARP (<i>CYPRINUS CARPIO</i>) ORGANIC POND FARMING IN EUROPE. AN OVERVIEW	56
Jha, P.: COMPARISON OF GROWTH, SURVIVAL RATE, AND NUMBER OF MARKETABLE FISH PRODUCED OF KOI CARP, <i>CYPRINUS CARPIO</i> L., IN OUTDOOR EARTHEN PONDS WITH ENDOGENOUS CULTURE OF <i>MOINA</i> SP. OR <i>DAPHNIA</i> SP. AND EXOGENOUS SUPPLY OF MIXED PLANKTON	60

Horváth, A., Bokor, Z., Bernáth, G., Urbányi, B., Snoj, A., Sušnik Bajec, S., Jesenšek, D.: APPLICATION OF SPERM CRYOPRESERVATION TO THE CULTURE AND CONSERVATION OF SALMONID SPECIES: A SLOVENIAN-HUNGARIAN COLLABORATION	62
Özgür, E.M., Bayir, İ.: THE PRESENT STATUS OF RAINBOW TROUT AQUACULTURE IN TURKEY	65
Lujić, J., Bernáth, G., Marinović, Z., Lefler, K., Urbányi, B., Horváth, Á.: SPERMATOGONIAL TRANSPLANTATION AS A NOVEL TECHNIQUE IN AQUACULTURE AND FISH CONSERVATION	66
Kucska, B., Schnell, D., Varga, D., Hancz, C., Molnár, T.: NUTRITIONAL REQUIREMENTS OF JUVENILE PIKE (<i>ESOX LUCIUS</i>) REARED IN RECIRCULATING AQUACULTURE SYSTEM	70
Grozea, A.: INTENSIVE AQUACULTURE OF THE PIKEPERCH (<i>SANDER LUCIOPERCA</i>) IN ROMANIA: CURRENT STATUS AND PERSPECTIVES	73
Sørensen, M., Dos Santos Guterres, A. H., Gong, Y. Y., Kiron, V.: THE POTENTIAL OF MICRO ALGAE AS FEED INGREDIENT FOR ATLANTIC SALMON	75
Dulić, Z., Hlaváč, D., Anton-Pardo, M., Adámek, Z.: SUSTAINABLE MEASURES FOR IMPROVEMENT OF RHEOPHILIC FISH PRODUCTION – PRELIMINARY RESULTS WITH CHUB (<i>SQUALIUS CEPHALUS</i>) POND CULTURE	78
Palić, D., Scarfe, D.A., Walster, I.: IMPLEMENTING EFFECTIVE VETERINARY BIOSECURITY PROGRAMS IN AQUACULTURE THAT MEET INTERNATIONAL STANDARDS AND NATIONAL REGULATIONS	82
Baltić, M., Ivanović, J., Janjić, J., Bošković, M., Marković, R., Đorđević, J., Dokmanović, M., Glišić, M.: ALLERGENIC PROTEINS IN FISH	88
Jovičić, K., Višnjić-Jeftić, Ž., Skorić, S., Smederevac-Lalić, M., Nikolić, M. D., Đikanović, V., Jarić, I., Lenhardt, M., Hegediš, A.: ASSESSMENT OF THE METAL AND TRACE ELEMENT CONTENTS IN TISSUES OF FOUR COMMERCIAL FISH SPECIES FROM THE DANUBE RIVER, BELGRADE	94
Schlechtriem, Ch.: PESTICIDE CONTAMINATION IN FARMED FISH - EXPOSURE PATHWAYS, BIOACCUMULATION AND CONSUMER RISK	101
Radosavljević, V., Jakić-Dimić, D., Marković, Z., Milićević, V. Maksimović-Zorić, J., Ljubojević, D., Ćirković, M.: SURVEILLANCE OF FISH DISEASES IN SERBIA	102
Schonova, P., Sevcikova, M., Svobodova, Z.: FISH EMBRYOS AS ALTERNATIVE MODELS IN TOXICOLOGY: A REVIEW	107

Smederevac-Lalić, M., Rajković, B., Zarić, V.: ANALYSIS OF THE DISTRIBUTION OF FRESHWATER FISH IN SERBIA	112
Cvijanović, G., Kašpar, V., Lenhardt, M.: COMPARATIVE SHAPE ANALYSIS OF WILD AND REARED STERLET (<i>ACIPENSER RUTHENUS</i> L.)	114
Tsoumani, M., Vrakas, E., Anastasiou, S., Chatziefstathiou, M., Nathanailides, C., Tiligadas, I.: ECOLOGICAL, ECONOMIC AND SOCIAL PARAMETERS OF RECREATIONAL FISHING ON THE RESERVOIR OF AOOS RIVER	120
Spaak, P.: <i>DAPHNIA</i> HYBRIDIZATION IN PERI-ALPINE LAKES OVER SPACE AND TIME	125
Joksimović, A., Regner, S., Dulčić, J., Pešić, A., Marković, O., Ikica, Z., Đurović, M.: SCIENTIFIC MONITORING OF THE ALIEN FISH AND CRUSTACEANS SPECIES IN THE ADRIATIC SEA (MONTENEGRIN COAST)	127
Nathanailides, C., Anastasiou, S.: ECONOMIC EFFICIENCY OF FILLETING YIELD OF FARMED MEDITERRANEAN MARINE FISH SPECIES	134
Mičić, M.: AQUARIUM PULA	137
Regner, S., Smederevac-Lalić, M., Mičković, B., Lenhardt, M., Hegediš, A., Jaćimović, M., Kalauzi, A.: FLUCTUATIONS OF THE CATCH OF SOME PELAGIC SPECIES OF THE MEDITERRANEAN SEA	139
Hubenova, T., Zaikov, A., Ivanova, A., Trezyiski, D., Kazakova-Gevesova, M.: SIZE STRUCTURE OF THE TURBOT (<i>PSETTA MAXIMA MAEOTICA</i>) LANDINGS FROM THE NORTH BULGARIAN BLACK SEA COAST	144
Yatmaz, A.H., Yerlikaya, P., Gokoglu, N., Ucak, I.: INHIBITION OF LIPID OXIDATION IN ANCHOVY OIL BY GRAPEFRUIT ALBEDO EXTRACT	151
Ucak, I., Gokoglu, N.: EFFECTS OF HIGH PRESSURE PROCESSING ON MICROBIOLOGICAL QUALITY OF HERRING (<i>CLUPEA HARENGUS</i>)	153
Acar, Ü., Kesbiç, S.O., Gültepe, N., Yalgin, F., Yilmaz, S., Türker, A.: EFFECTS OF DIETARY ALLSPICE, <i>PIMENTA DIOICA</i> POWDER ON HEMATOLOGICAL AND IMMUNOLOGICAL RESPONSES OF <i>OREOCHROMIS MOSSAMBICUS</i> UNDER LOW pH STRESS	155
Ağdamar, S., Tarkan, S.A.: GENETIC VARIABILITY OF AN INVASIVE FRESHWATER FISH, GIBEL CARP <i>CARASSIUS GIBELIO</i> (BLOCH, 1782) IN TURKEY REVEALED BY SEQUENCES OF MITOCHONDRIAL CYTOCHROME OXIDASE I GENE	158
Alavi-Yeganeh, S.M., Ghodrati-Shojaei, M., Deyrestani, A.: LENGTH-WEIGHT RELATIONSHIPS OF 18 FISH SPECIES FROM THE PERSIAN GULF	161

Babić, J., Petrović, J., Kartalović, B., Pelić, M., Jakšić, S., Ćirković, M.: THE IMPORTANCE OF BORDER INSPECTION IN CONTROL HISTAMINE POISONING FROM CANNED TUNA	165
Banjac, V., Čolović, R., Vukmirović, Đ., Čolović, D., Đuragić, O., Palić, D., Pezo, L.: A PROPOSAL OF METHODS FOR DETERMINING WATER STABILITY OF EXTRUDED FISH FEED	170
Bećiraj, A., Džaferović, A., Dedić, S., Makić, H., Ibrahim Pašić, J., Bakrac, L., Dekić, R.: DETERMINATION OF THE HEAVY METALS' PRESENCE IN THE WATER AND GRAYLING MUSCLE TISSUE (<i>THYMALLUS THYMALLUS</i>) OF THE RIVER UNA	176
Bernáth, G., Bokor, Z., Žarski, D., Kása, E., Kollár, T., Várkonyi, L., Hegyi, Á. Urbányi, B., Horváth, Á.: OUT OF SEASON QUALITY ASSESMENT AND CRYOPRESERVATION OF EURASIAN PERCH (<i>PERCA FLUVIATILIS</i>) SPERM	178
Blahova, J., Divisova, L., Enevoa, V., Plhalova, L., Doubkova, V., Marsalek, P., Svobodova, Z.: EFFECTS OF SUBCHRONIC TONALIDE EXPOSURE ON ZEBRAFISH, <i>DANIO RERIO</i>	181
Blagojević, A., Tanasković, A., Predojević, D., Popović, S., Jovanović, J., Trbojević, I., Subakov Simić, G.: TROPHIC STATUS ASSESSMENT OF OČAGA RESERVOIR (LAZAREVAC, SRBIJA) BY CARLSON'S INDEX	185
Bećiraj, A., Tahrić, E., Šarić-Kadić, I., Ičanović, I.: FISH POPULATION FROM KLOKOT AND KRUSNICA RIVERS	191
Bokor, Z., Ittész, I., Szabó, Z., Palotás, P., Szabó, T., Staszny, Á., Žarski, D., Krejszef, S., Urbányi, B., Palińska-Žarska, K.: REINTRODUCTION OF THE BURBOT TO THE HUNGARIAN AQUACULTURE (PRELIMINARY RESULTS)	198
Choi, J., Rahman, M.Md., Sang-Yoon, L., Hoon Chang, K., Jun Cho, S., Jeong Seo, H., Park, H.-G., Lee, S.-M.: EFFECTS OF DIETARY INCLUSION OF ASTAXANTHIN ON GROWTH, MUSCLE PIGMENTATION AND ANTIOXIDANT ACTIVITY OF JUVENILE RAINBOW TROUT (<i>ONCORHYNCHUS MYKISS</i>)	201
Cieśla, M., Jończyk, R., Ślwiński, J., Gozdowski, D., Kazuń, K.: PROBIOTICS AND HERBS IN CARP (<i>CYPRINUS CARPIO</i> L.) POND AQUACULTURE – IMPACT ON FISH GROWTH, HEALTH AND PRODUCTION EFFICIENCY	203
Choi, K.D., Kim, S.H., Cho, H.S., Lee, S.-M.: OPTIMUM DIETARY PROTEIN AND LIPID LEVELS FOR JUVENILE ROCKFISH (<i>SEBASTES SCHLEGELI</i>)	209

Dekić, R., Ivanc, A., Lolić, S., Mandić, M., Erić, Ž., Manojlović, M., Friščić, J.: HEMATOLOGICAL CHARACTERISTICS OF <i>TELESTES METOHIENSIS</i> (STEINDACHNER, 1901) FROM DIFFERENT HABITATS	214
Dulić, Z., Stanković, M., Živić, I., Dojčinović, B., Manojlović, D., Živić, M., Marković, Z.: ASSESSMENT OF TOXIC AND TRACE ELEMENTS (As, Cd, Cu, Cr, Hg, Ni, Pb, Sr, Zn) IN ZOOPLANKTON FROM CARP FISH PONDS	221
Dinović-Stojanović, J., Nikolić, D., Stefanović, S., Vranić, D., Milijašević, M., Babić, J., Janković, S.: MERCURY IN DIFFERENT MARINE FISH SPECIES ON SERBIAN MARKET	226
Đikanović, V., Skorić, S., Gačić, Z., Lenhardt, M.: BARBEL (<i>BARBUS BARBUS</i> LINNAEUS, 1758) ENDOPARASITE FAUNA AND DIET IN THE BELGRADE SECTION OF THE DANUBE RIVER (SERBIA)	231
Gokoglu, M.: INVESTIGATION OF THE ABILITY OF FLOATING REEFS TO COLLECT YELLOWTAIL (<i>SERIOLA DUMERILI</i>) FRY FROM THE NATURE	239
Gokoglu, N., Yerlikaya, P., Ucak, I., Yatmaz, A.H.: EFFECTS OF TUMBLING PROCESS ON PHYSICOCHEMICAL PROPERTIES OF OCTOPUS (<i>OCTOPUS VULGARIS</i>)	241
Grigoryan, K.M., Sargsyan, M.P., Hovsepyan, V.V., Badalyan, G.N.: DISTRIBUTION OF SPECIES OF THE GENUS <i>PSEUDOMONAS</i> IN ARTIFICIAL PONDS OF ARMAVIR REGION IN ARMENIA	243
Gültepe, N., Acar, Ü., Kesbiç, S.O., Yılmaz, S., Yalçın, F., Türker, A.: EFFECTS OF CITRUS ESSENTIAL OIL SUPPLEMENTATION ON THE GROWTH AND SERUM BIOCHEMICAL RESPONSES OF <i>OREOCHROMIS MOSSAMBICUS</i>	245
Hadzhinikolova, L., Ivanova, A., Hubenova, T.: CHEMICAL AND FATTY ACID COMPOSITION OF TURBOT (<i>PSETTA MAXIMA MAEOTICA</i>) MEAT FROM THE BULGARIAN BLACK SEA SHORES	248
Ighwela, A.K., Ahmad, B.A., Abol-Munafi, A.B.: LEACHING OF DIETARY MALTOSE, ECONOMIC EFFICIENCY TO NILE TILAPIA (<i>OREOCHROMIS NILOTICUS</i>) FINGERLINGS	255
Ikica, Z., Đurović, M., Joksimović, A., Mandić, M., Marković, O., Pešić, A.: SOME BIOLOGICAL PARAMETERS OF BLACK-BELLIED ANGLER FISH (<i>LOPHIUS BUDEGASSA</i> SPINOLA, 1807) IN MONTENEGRIN WATERS (SOUTH-EAST ADRIATIC)	257
Ivanova, A., Hadzhinikolova, L.: WATER QUALITY IN CARP FARMING SYSTEMS WITH DIFFERENT LEVEL OF INTENSIFICATION	265

Ivanović, J., Janjić, J., Milanov, R., Bošković, M., Glamočlija, N., Raičević, S., Baltić, Ž.M.: METALS CONCENTRATIONS IN WATER AND SEDIMENT FROM THE DANUBE RIVER	272
Janjić, J., Ivanović, J., Jovanović, D., Marković, R., Starčević, M., Đorđević, V., Baltić, Ž.M.: METAL CONCENTRATION IN MUSCLE TISSUE OF FISH FROM DIFFERENT FISH PONDS	278
Jović, M., Onjia, A., Tanaskovski, B., Stanković, S.: HUMAN EXPOSURE TO 17 ELEMENTS THROUGH MUSSELS CONSUMPTION	285
Yerlikaya, P., Gokoglu, N., Yatmaz, A. H., Ucak, I.: THE EFFECT OF TRANSGLUTAMINASE ADDITION ON THE QUALITY ALTERATIONS OF RAINBOW TROUT MINCE	291
Kartalović, B., Živkov-Baloš, M., Prica, N., Babić, J., Jovanović, S., Petrović, J., Čirković, M.: PRESENCE OF ORGANOCHLORINE PESTICIDES IN HAKE FILLETS	293
Kartalović, B., Čirković, M., Jakšić, S., Pelić, M., Ljubojević, D., Babić, J., Milošević, N.: MATRIX INFLUENCE IN DETERMINING ANTIPARASITIC BY HPLC	298
Kasa, E., Bernath, G., Kollar, T., Žarski, D., Lujić, J., Marinović, Z., Bokor Z., Hegyi, A., Urbanyi B., Horvath, A.: VITRIFICATION OF THE SPERM OF EURASIAN PERCH (<i>PERCA FLUVIATILIS</i>)	303
Kesbiç, S.O., Yiğit, M., Acar, Ü., Bulut, M., Gültepe, N., Yalçın, F.: THE RELATION BETWEEN TANK COLOR AND EUROPEAN SEABASS (<i>DICENTRARCHUS LABRAX</i>) JUVENILES GROWTH PERFORMANCE	309
Kim, S.H., Choi, K.D., Cho, H.S.: EFFECT OF DIETARY INCLUSION OF THE VARIOUS SOURCES OF ADDITIVES ON GROWTH, BODY COMPOSITION AND CHALLENGE TEST OF JUVENILE ROCKFISH (<i>SEBASTES SCHLEGELI</i>)	311
Kebapcioglu, T., Begburs, R.C.: GUESTS FISH SPECIES OF THE GULF OF ANTALYA	316
Krizmanić, J., Subakov Simić, G., Vidaković, D., Marjanović, P.: WATER QUALITY ASSESSMENT OF VRUTCI RESERVOIR TRIBUTARIES BASED ON DIATOM INDICES	318
Kostić, D., Smederevac-Lalić, M., Skorić, S., Lenhardt, M., Naunović, Z., Hegediš, A.: RECENT ADVANCES IN WATER QUALITY MONITORING IN AQUACULTURE	323
Kovačević, S., Radojković, N., Milošković, A., Radenković, M., Simić, S., Čirković, M., Simić, V.: THE POSSIBILITY OF CONSERVATION AND SUSTAINABLE USE OF NOBLE CRAYFISH <i>ASTACUS ASTACUS</i> IN SERBIA	328

Kostić, J., Kolarević, S., Kračun-Kolarević, M., Aborgiba, M., Knežević-Vukčević, J., Gačić, Z., Lenhardt, M., Vuković-Gačić, B.: HOW FLOODING MODIFIES GENOTOXIC RESPONSE IN FRESHWATER FISH	333
Lolić, S., Matavulj, M., Dekić, R.: DISTRIBUTION OF PHYTOPLANKTON AT FISH POND PREVLAKA (BARDAČA)	339
Ljubojević, D., Novakov, N., Pelić, M., Đorđević, V., Radosavljević, V., Jovanović, R., Čirković, M.: VEGETABLE OILS IN NUTRITION OF CYPRINID FISH SPECIES	345
Ljubobratović, U., Péter, G., Horváth, Z., Endre, B., Lengyel, S., Kovács, G., Rónyai, A.: INTENSIVE REARING PERFORMANCE OF THREE PIKEPERCH (<i>SANDER LUCIOPERCA</i>) FINGERLING POPULATIONS FROM HUNGARY	350
Maksimović, T., Rončević, S., Kukavica, B.: Cu AND Zn BIOACUMULATION IN CERTAIN AQUATIC MACROPHITES IN THE AREA OF FISH POND BARDAČA	356
Marinović, Z., Lujčić, J., Bolić-Trivunović, V., Marković, G.: TOWARDS IMPROVING GROWTH ESTIMATION IN FISH: MULTI-MODEL INFERENCE AND ITS APPLICATION IN FRESHWATER FISH	358
Mamedov, Ch., Hajiyev, R., Akhundov, M.: ULTRASOUND DIAGNOSTIC OF STURGEONS AND EXPLOITATION OF REPRODUCTIVE FEMALES AT STURGEON HATCHERY OF AZERBAIJAN	363
Mente, E., Berillis, P.: INTESTINAL HISTOLOGICAL RESPONSE AFTER A MEAL IN RAINBOW TROUT (<i>ONCORHYNCHUS MYKISS</i>)	369
Milošković, A., Radojković, N., Simić, V., Kovačević, S., Simić, S., Radenković, M.: BLEAK (<i>ALBURNUS ALBURNUS</i>) AS POTENTIAL BIOINDICATOR OF HEAVY METAL POLLUTION	373
Nikolova, L.: MORPHOMETRIC PARAMETERS OF LOCAL CARP WITH DIFFERENT TYPES OF SCALE PATTERNS REARED IN AUTOCHTHONOUS PRODUCTION ECOSYSTEMS	379
Novakov, N., Čirković, M., Ljubojević, D., Adžić, B., Pelić, M., Božić, B., Babić, J., Todorović, D.: <i>SPHAEROSPORA MOLNARI</i> (MYXOZOA) IN COMMON CARP FINGERLINGS	384
Ostojić, A., Vaško, Ž., Savić, N., Pavličević, J.: SIMILARITIES AND DIFFERENCES IN THE HABITS OF FISH CONSUMER IN THREE CITIES OF THE REPUBLIC OF SRPSKA	389

Pajčin, R., Paraš, S., Savić, N., Radović, I., Filipović, S., Milavica, D.: COMPARATIVE ANALYSIS MORPHOMETRIC PARAMETERS BROWN TROUT (<i>SALMO TRUTTA MORPHA FARIO</i>) FROM LOCALITIES OF RIVERS PLIVA AND VRBANJA	396
Papić, R., Milić, T.: SIGNIFICANCE OF SOCIAL NETWORKS FOR THE PROCESS OF APPLICATION FOR RURAL DEVELOPMENT SUPPORT	402
Pavličević, J., Ostojić, A., Glamuzina, B., Savić, N., Rozić, I., Kanlić, V.: FOREIGN- TRADE EXCHANGE OF BOSNIA AND HERZEGOVINA WITH FISHING PRODUCTS	407
Pelić, M., Ćirković, M., Kartalović, B., Ljubojević, D., Novakov, N., Jovanić, S., Živkov Baloš, M.: NUTRITION OF COMMON CARP WITH FEED CONTAINING BY-PRODUCTS FROM THE SLAUGHTERHOUSE	414
Pešić, A., Đurović, M., Joksimović, A., Marković, O., Ikica, Z.: CONDITION OF FISH, SEA BREAM (<i>SPARUS AURATA</i>) AND SEA BASS (<i>DICENTRARCHUS LABRAX</i>) FROM FISH FARM IN BOKAKOTORSKA BAY (SOUTH-EAST ADRIATIC)	419
Poleksić, V.: POSSIBLE CONTRIBUTION OF CaSA TEMPUS PROJECT TO AQUACULTURE EDUCATION AND PRACTICE	425
Ponomareva, V.E., Volkov, A.A., Ponomareva, V.M., Shubina, A.E.: GENETIC STUDIES PROBLEMS OF EUROPEAN GRAYLING (<i>THYMALLUS THYMALLUS</i>) OF RUSSIAN EUROPEAN NORTH	429
Popović, N., Marković, V., Atanacković, A., Vasiljević, B., Andus, S., Ilić, M., Kračun-Kolarević, M., Paunović, M.: WATER QUALITY ASSESSEMENT OF JABLANICA RIVER BASED ON AQUATIC MACROINVERTEBRATE COMMUNITY	434
Popović, N., Marković, V., Tomović, J., Đuknić, J., Tubić, B., Marinković, N., Čanak- Atlagić, J., Paunović, M.: WATER QUALITY ASSESSEMENT OF MLAVA RIVER BASED ON AQUATIC MACROINVERTEBRATES	439
Rechulicz, J.: THE OCCURRENCE AND POPULATION CHARACTERISTICS OF INVASIVE FISH AMUR SLEEPER (<i>PERCCOTTUS GLENII</i>) IN OXBOW LAKES IN SOUTH-EASTERN POLAND	444
Relić, R., Rašković, B., Vukojević, D., Stanković, M., Dulić, Z., Marković, Z., Poleksić, V.: INJURIES AND DEFORMITIES IN COMMON CARP FINGERLINGS GROWN IN DIFFERENT STOCKING DENSITIES – PRELIMINARY RESULTS	446
Rudić, Ž., Vujović, B., Božić, M., Raičević, V.: LAKE LUDAS SPECIAL NATURE RESERVE – BACTERIOLOGICAL POINT OF VIEW	451

- Savić, N., Rogić, B., Drinić, M., Vučić, G., Važić, B., Kralj, A.:** THE INFLUENCE OF DIFFERENT NUTRITION LEVELS ON THE GROWTH CHARACTERISTICS AND MEAT TEXTURE OF THE RAINBOW TROUT (*ONCORHYNCHUS MYKISS* WAL.) 457
- Sekulić, N., Krpo-Četković, J., Jojić, V., Galambos, L., Radošević, D., Snoj, A., Šanda, R., Marić, S.:** BIOLOGICAL AND ECOLOGICAL CHARACTERISTICS OF THE EUROPEAN MUDMINNOW *UMBRA KRAMERI* AS A BASIS FOR *IN-SITU* AND *EX-SITU* CONSERVATION 464
- Simić, M., Veličković, T.:** THE ROLE AND IMPORTANCE OF CENTERS FOR GENETIC IMPROVEMENT IN CONSERVATION AND SUSTAINABLE EXPLOITATION OF SALMONID FISH STOCKS 467
- Skorić, S., Višnjić-Jeftić Ž., Smederevac-Lalić, Jovičić, K., Hegediš, A.:** ELEMENTS CONCENTRATION IN TISSUE OF CHUB (*SQUALUS CEPHALUS*) FROM RESERVOIRS OF NATIONAL PARK "TARA" 472
- Subotić, S., Višnjić-Jeftić, Ž., Spasić, S., Hegediš, A., Krpo-Četković, J., Lenhardt, M.:** ELEMENT CONCENTRATIONS IN TWO FISH SPECIES WITH DIFFERENT HABITAT AND FEEDING PREFERENCES (CARP AND BURBOT) IN THE DANUBE RIVER NEAR BELGRADE 480
- Sunjog, K., Kolarević, S., Kračun-Kolarević, M., Gačić, Z., Lenhardt, M., Vuković-Gačić, B.:** EVALUATION OF RIVER WATER GENOTOXICITY WITH COMET ASSAY IN DIFFERENT TISSUES OF EUROPEAN CHUB 485
- Stanković, M., Dulić, Z., Živić, I., Marković, Z.:** COMPARATIVE ANALYSIS OF THE PRODUCTION OF DIFFERENT STOCKING CATEGORIES OF CARP IN SEMI-INTENSIVE SYSTEMS 489
- Stanković, S., Tanaskovski, B., Jović, M.:** CONCENTRATION DATA FOR 30 ELEMENTS IN THE MUSSELS *MYTILUS GALLOPROVINCIALIS* 494
- Subotić, S., Višnjić-Jeftić, Ž., Spasić, S., Hegediš, A., Krpo-Četković, J., Lenhardt, M.:** ELEMENT CONCENTRATIONS IN MUSCLE TISSUE OF TWO FISH SPECIES FROM DIFFERENT TROPHIC LEVELS (BLEAK AND PIKE) IN THE DANUBE NEAR BELGRADE 500
- Šarčević, B., Obradović, S., Stefanović, R., Radulović, M., Mirčić, D., Dekić, R., Živkov-Baloš, M.:** PROTECTION MODEL OF NATURAL RESOURCES BY INTEGRATION OF MANAGEMENT FUNCTIONS OF FISHING AND HUNTING AREAS 506
- Trbović, D., Marković, Z., Petronijević, R., Čanak, S., Spirić, D., Đorđević, V., Spirić, A.:** CHANGES OF THE FATTY ACID COMPOSITION AND TOTAL LIPID CONTENT IN CULTURED CARP (*CYPRINUS CARPIO* L.) CORRELATED TO SUPPLEMENTARY DIET 513

Zhelyazkov, G., Staykov, Y., Georgiev, D.: EFFECT OF DIETARY BETAIN SUPPLEMENTATION ON SOME PRODUCTIVE TRAITS OF COMMON CARP (<i>CYPRINUS CARPIO</i> L.) CULTIVATED IN RECIRCULATION SYSTEM	518
Šarčević, B., Obradović, S., Stefanović, R., Radulović, M., Mirčić, D., Dekić, R., Živkov-Baloš, M.: APPLICATION OF PREBIOTIC MOS IN TROUT NUTRITION.....	526
Živić, I., Trbović, D., Dulić, Z., Stanković, M., Živić, M., Marković, Z.: COMPARATIVE ANALYSIS OF THE FATTY ACID COMPOSITION OF NATURAL FOOD AND SUPPLEMENTAL FEED IN CARP FROM A FISH FARM	534
Žunić, M., Živić, I., Stanković, M., Stojanović, K., Marković, Z.: MORFOLOGICAL DEFORMITIES OF MOUTHPARTS IN GENUS <i>CHIRONOMUS</i> (DIPTERA: CHIRONOMIDAE) INDUCED BY HEAVY METALS	546

SADRŽAJ:

Chatziefstathiou, M., Matsiori, S.: NOVA ULOGA REGIONALNE SARADNJE U ODRŽIVOM RAZVOJU AKVAKULTURE I RIBARSTVA: MAKROREGIONALNE STRATEGIJE (DUNAVSKA, JADRANSKO - JONSKA) I REFORMISANA UREDBA EVROPSKE UNIJE O RIBARSTVU	1
Varadi L., Bekefi, B.E.: UPRAVLJANJE U AKVAKULTURI U CENTRALNOJ I ISTOČNOJ EVROPI I ULOGA UDRUŽENJA PROIZVOĐAČA	12
Pucher, J., Hölzle, L., Thomas, A., Focken, U., Schlechtriem, C., Feucht, Y., Schumann, M., Váradi, L., Halasi-Kovács, B., Urbányi, B., Bokor, Z., Horváth, Á., Tarnai-Király, Z., Péteri, A., Policar, T., Poleksić, V., Matulic, D., Borda, D., Grozea, A., Raspor, P., Zunabović, M., Hubenova, T., Grigorov, B., Pilarczyk, A., Bekh, V.: GAJENJE SLATKOVODNIH RIBA U CENTRALNOJ I ISTOČNOJ EVROPI: POTREBE ZA ISTRAŽIVANJEM I RAZVOJEM	18
Žarski, D., Krejszeff, S., Palińska-Žarska, K., Bernath, G., Urbanyi, B., Bokor, Z.: INDEKS EFIKASNOSTI MRESTA KAO ALATKA ZA ISTRAŽIVANJE I PROIZVODNJU U AKVAKULTURI	23
Čirković, M., Kartalović B., Babić, J., Pelić, M., Novakov, N., Jovanović, S., Đorđević, V.: PRIMENA RIBARSKIH TEHNOLOGIJA U ODRŽIVOM RAZVOJU KLANIČNIH SISTEMA	29
Varadi, L., Borbely, G., Levai, F., Hoitsy, G.: ODRŽIVA INTENZIFIKACIJA GAJENJA SLATKOVODNIH RIBA U MAĐARSKOJ	33
Révész, N., Kumar, Sh., Csávás, B.K., Percze, V., Sándor, J.Z.: MOGUĆNOSTI KORIŠĆENJA MIKROINKAPSULIRANE HRANE ZA LARVE ŠARANA (<i>CYPRINUS CARPIO</i>)	39
Marković, Z., Stanković, M., Živić, I., Dulić, Z., Rašković, B., Vukojević, D., Relić, R., Poleksić, V.: ŠARAN, OD VODENE NJIVE DO TANJIRA - KLJUČNE TAČKE U POLUINTENZIVNOJ PROIZVODNJI I PLASMANU	44
Focken, U., Krome, C., Jauncey, K.: DA LI OKSALATI IZ HRANE ZA RIBE BILJNOG POREKLA OMETAJU RAST ŠARANA, <i>CYPRINUS CARPIO</i> ?	49
Adámek Z., Mössmer, M., Bauer, Ch.: PREGLED TRENUTNIH IZAZOVA I PRINCIPA ORGANSKOG UZGOJA ŠARANA (<i>CYPRINUS CARPIO</i>) U JEZERIMA U EVROPI	56
Jha, P.: POREĐENJE RASTA, STOPE PREŽIVLJAVANJA I KOLIČINE KOI ŠARANA, <i>CYPRINUS CARPIO</i> L., PROIZVEDENOG ZA TRŽIŠTE, U SPOLJNIM ZEMLJANIM JEZERIMA SA ENDOGENOM KULTUROM <i>MOINA</i> SP. ILI <i>DAPHNIA</i> SP. I EGZOGENIM SNABDEVANJEM MEŠAVINOM PLANKTONA	60

Horváth, A., Bokor, Z., Bernáth, G., Urbányi, B., Snoj, A., Sušnik Bajec, S., Jesenšek, D.: PRIMENA KRIOPREZERVACIJE SPERME NA GAJENJE I OČUVANJE SALMONIDNIH VRSTA: SARADNJA SLOVENIJE I MAĐARSKE	62
Özgür, E.M., Bayir, İ.: TRENUTNI STATUS GAJENJA KALIFORNIJSKE PASTRMKE U TURSKOJ	65
Lujić, J., Bernáth, G., Marinović, Z., Lefler, K., Urbányi, B., Horváth, Á.: TRANSPLANTACIJA SPERMATOGONIJA KAO NOVA METODA U AKVAKULTURI I KONZERVACIJI RIBA	66
Kucska, B., Schnell, D., Varga, D., Hancz, C., Molnár, T.: POTREBE U ISHRANI MLAĐI ŠTUKA GAJENE U RECIRKULACIONOM SISTEMU	70
Grozea, A.: INTENZIVNI UZGOJ SMUĐA (<i>SANDER LUCIOPERCA</i>) U RUMUNIJI: STANJE I PERSPEKTIVE	73
Sørensen, M., Dos Santos Guterres, A. H., Gong, Y. Y., Kiron, V.: MOGUĆNOST KORIŠĆENJA MIKROALGI U HRANI ZA KARNIVORNE VRSTE RIBA	75
Dulić, Z., Hlaváč, D., Anton-Pardo, M., Adámek, Z.: ODRŽIVE MERE ZA UNAPREĐENJE GAJENJA REOFILNIH VRSTA RIBA - PRELIMINARNI REZULTATI GAJENJA KLENA (<i>SQUALIUS CEPHALUS</i>)	78
Palić, D., Scarfe, D.A., Walster, I.: IMPLEMENTACIJA PROGRAMA ZA VETERINARSKU BIOSIGURNOST U AKVAKULTURI U SKLADU SA MEDJUNARODNIM STANDARDIMA I NACIONALNOM REGULATIVOM	82
Baltić, M., Ivanović, J., Janjić, J., Bošković, M., Marković, R., Đorđević, J., Dokmanović, M., Glišić, M.: ALERGENSKI PROTEINI U RIBI	88
Jovičić, K., Višnjic-Jeftić, Ž., Skorić, S., Smederevac-Lalić, M., Nikolić, M. D., Đikanović, V., Jarić, I., Lenhardt, M., Hegediš, A.: PROCENA SADRŽAJA METALA I ELEMENATA U TKIVIMA 4 KOMERCIJALNE VRSTE RIBA IZ DUNAVA KOD BEOGRADA	94
Schlechtriem, Ch.: ZAGAĐENJE GAJENIH RIBA PESTICIDIMA - PUTEVI IZLOŽENOSTI, BIOAKUMULACIJA I RIZIK ZA POTROŠAČE	101
Radosavljević, V., Jakić-Dimić, D., Marković, Z., Milićević, V. Maksimović-Zorić, J., Ljubojević, D., Ćirković, M.: NADZOR BOLESTI RIBA U SRBIJI	102
Sehonova, P., Sevcikova, M., Svobodova, Z.: EMBRIONI RIBA KAO ALTERNATIVNI MODEL U TOKSIKOLOGIJI: REVIJALNI PREGLED	107
Smederevac-Lalić, M., Rajković, B., Zarić, V.: ANALIZA DISTRIBUCIJE SVEŽE REČNE RIBE U REPUBLICI SRBIJI	112

Cvijanović, G., Kašpar, V., Lenhardt, M.: UPOREDNA ANALIZA OBLIKA PRIRODNIH I UZGAJANIH KEČIGA (<i>ACIPENSER RUTHENUS</i> L.)	114
Tsoumani, M., Vrakas, E., Anastasiou, S., Chatziefstathiou, M., Nathanailides, C., Tiligadas, I.: EKOLOŠKI, EKONOMSKI I SOCIJALNI PARAMETRI REKREATIVNOG RIBOLOVA NA <i>AKUMULACIJI REKE</i> AOOS	120
Spaak, P.: VREMENSKA I PROSTORNA HIBRIDIZACIJA <i>DAPHNIA</i> U PERIALPSKIM JEZERIMA	125
Joksimović, A., Regner, S., Dulčić, J., Pešić, A., Marković, O., Ikica, Z., Đurović, M.: NAUČNO PRACENJE ULASKA INVAZIVNIH VRSTA RIBA U JADRANSKO MORE	127
Nathanailides, C., Anastasiou, S.: EKONOMSKA EFIKASNOST FILETIRANOG PRINOSA RIBLJIH VRSTA GAJENIH U MEDITERANU	134
Mičić, M.: AKVARIJUM PULA	137
Regner, S., Smederevac-Lalić, M., Mičković, B., Lenhardt, M., Hegediš, A., Jaćimović, M., Kalauzi, A.: FLUKTUACIJE ULOVA NEKIH PELAGIČNIH VRSTA RIBA U MEDITERANU	139
Hubenova, T., Zaikov, A., Ivanova, A., Trezyiski, D., Kazakova-Gevesova, M.: DUŽINSKA I TEŽINSKA STRUKTURA IVERKA (<i>PSETTA MAXIMA MAEOTICA</i>) IZLOVLJENOG DUŽ SEVERNE OBALE BUGARSKOG DELA CRNOG MORA	144
Yatmaz, A.H., Yerlikaya, P., Gokoglu, N., Ucak, I.: INHIBICIJA OKSIDACIJE LIPIDA U ULJU INCUNA POMOĆU ALBEDO EKSTRAKTA IZ GREJPFRUTA	151
Ucak, I., Gokoglu, N.: UTICAJ VISOKOG PRITISKA PRERADE NA MIKROBIOLOŠKI KVALITET HARINGE (<i>CLUPEA HARENGUS</i>)	153
Acar, Ü., Kesbiç, S.O., Gültepe, N., Yalgin, F., Yilmaz, S., Türker, A.: EFEKTI PIMENTA (<i>PIMENTA DIOICA</i>) U PRAHU U HRANI NA HEMATOLOŠKE I IMUNOLOŠKE REAKCIJE KOD MOZAMBIČKE TILAPIJE (<i>OREOCHROMIS MOSSAMBICUS</i>) IZLOŽENE STRESU NISKOGR pH	155
Ağdamar, S., Tarkan, S.A.: GENETSKE VARIJACIJE KOD INVAZIVNE SLATKOVODNE VRSTE, BABUŠKE <i>CARASSIUS GIBELIO</i> (BLOCH, 1782) U TURSKOJ OTKRIVENE SEKVENCIONIRANJEM GENA MITOHONDRIJALNE CITOHRON OKSIDAZE I	158
Alavi-Yeganeh, S.M., Ghodrati-Shojaei, M., Deyrestani, A.: DUŽINSKO-MASENI ODNOS 18 VRSTA RIBA IZ PERSIJSKOG ZALIVA	161

Babić, J., Petrović, J., Kartalović, B., Pelić, M., Jakšić, S., Čirković, M.: ZNAČAJ GRANIČNE INSPEKCIJE U KONTROLI TROVANJA HISTAMINOM IZ KONZERVIRANE TUNE	165
Banjac, V., Čolović, R., Vukmirović, Đ., Čolović, D., Đuragić, O., Palić, D., Pezo, L.: PREDLOG METODA ZA ODREĐIVANJE STABILNOSTI U VODI EKSTRUDIRANE HRANE ZA RIBE	170
Bećiraj, A., Džaferović, A., Dedić, S., Makić, H., Ibrahimpašić, J., Bakrac, L., Dekić, R.: ODREĐIVANJE PRISUSTVA TEŠKIH METALA U VODI I MIŠIĆNOM TKIVU LIPLJENA (<i>THYMALLUS THYMALLUS</i>) RIJEKE UNE	176
Bernáth, G., Bokor, Z., Žarski, D., Kása, E., Kollár, T., Várkonyi, L., Hegyi, Á., Urbányi, B., Horváth, Á.: PROCENA KVALITETA I METODE KRIOPREZERVACIJE SPERME GRGEČA (<i>PERCA FLUVIATILIS</i>) UZORKOVANE VAN SEZONE	178
Blahova, J., Divisova, L., Enevoa, V., Plhalova, L., Doubkova, V., Marsalek, P., Svobodova, Z.: EFEKTI SUBHRONIČNOG IZLAGANJA ZEBRICE, <i>DANIO RERIO</i> SINTETIČKOM MOŠUSU	181
Blagojević, A., Tanasković, A., Predojević, D., Popović, S., Jovanović, J., Trbojević, I., Subakov Simić, G.: PROCENA TROFIČKOG STATUSA AKUMULACIJE OČAGA (LAZAREVAC, SRBIJA) POSREDSTVOM CARLSON-OVOG INDEKSA	185
Bećiraj, A., Tahrić, E., Šarić-Kadić, I., Ičanović, I.: POPULACIJE RIBA RIJEKA KLOKOT I KRUŠNICA	191
Bokor, Z., Ittész, I., Szabó, Z., Palotás, P., Szabó, T., Staszny, Á., Žarski, D., Krejszeff, S., Urbányi, B., Palińska-Žarska, K.: PONOVO UVOĐENJE MANIČA U AKVAKULTURU MAĐARSKE (PRELIMINARNI REZULTATI)	198
Choi, J., Rahman, M.Md., Sang-Yoon, L., Hoon Chang, K., Jun Cho, S., Jeong Seo, H., Park, H.-G., Lee, S.-M.: EFEKTI KORIŠĆENJA ASTAKSANTINA U ISHRANI NA RAST, PIGMENTACIJU MIŠIĆA I ANTIOKSIDANTNE AKTIVNOSTI MLAĐI KALIFORNIJSKE PASTRMKE (<i>ONCORHYNCHUS MYKISS</i>)	201
Cieśla, M., Jończyk, R., Ślwiński, J., Gozdowski, D., Kazuń, K.: PROBIOTICI I LEKOVITO BILJE U UZGOJU ŠARANA (<i>CYPRINUS CARPIO</i> L.) U ZEMLJANIM BAZENIMA - UTICAJ NA PRIRAST RIBE, ZDRAVLJE I PROIZVODNE REZULTATE	203
Choi, K.D., Kim, S.H., Cho, H.S., Lee, S.-M.: OPTIMALNE POTREBE JUVENILNIH MORSKIH GRGEČA <i>SEBASTES SCHLEGELI</i> U PROTEINIMA I LIPIDIMA	209

Dekić, R., Ivanc, A., Lolić, S., Mandić, M., Erić, Ž., Manojlović, M., Friščić, J.: HEMATOLOŠKE KARAKTERISTIKE <i>TELESTES METOHIENSIS</i> (STEINDACHNER, 1901) SA RAZLIČITIH STANIŠTA	214
Dulić, Z., Stanković, M., Živić, I., Dojčinović, B., Manojlović, D., Živić, M., Marković, Z.: ANALIZA KONCENTRACIJE TOKSIČNIH I ESENCIJALNIH ELEMENTA (As, Cd, Cu, Cr, Hg, Ni, Pb, Sr, Zn) U ZOOPLANKTONU SA ŠARANSKOG RIBNJAKA	221
Dinović-Stojanović, J., Nikolić, D., Stefanović, S., Vranić, D., Milijašević, M., Babić, J., Janković, S.: ŽIVA U RAZLIČITIM VRSTAMA MORSKIH RIBA NA SRPSKOM TRŽIŠTU	226
Đikanović, V., Skorić, S., Gačić, Z., Lenhardt, M.: ENDOPARAZITI I ISHRANA MRENE (<i>BARBUS BARBUS</i> LINNAEUS, 1758) U BEOGRADSKOM SEKTORU DUNAVA (SRBIJA)	231
Gokoglu, M.: ISPITIVANJE MOGUĆNOSTI PLUTAJUĆIH GREBENA ZA SAKUPLJANJE MLAĐI GOFA (<i>SERIOLA DUMERILI</i>) IZ PRIRODE	239
Gokoglu, N., Yerlikaya, P., Ucak, I., Yatmaz, A.H.: EFEKTI TUMBANJA NA FIZIČKE I HEMIJSKE ODLIKE HOBOTNICE (<i>OCTOPUS VULGARIS</i>)	241
Grigoryan, K.M., Sargsyan, M.P., Hovsepyan, V.V., Badalyan, G.N.: DISTRIBUCIJA VRSTA RODA <i>PSEUDOMONAS</i> U VEŠTAČKIM JEZERIMA REGIONA ARMAVIR U JERMENIJI	243
Gültepe, N., Acar, Ü., Kesbiç, S.O., Yılmaz, S., Yalçın, F., Türker, A.: EFEKTI ETERIČNOG ULJA CITRUSA KAO DODATKA U ISHRANI NA PRIRAST I BIOHEMIJSKE REAKCIJE SERUMA KOD MOZAMBIČKE TILAPIJE <i>OREOCHROMIS MOSSAMBICUS</i>	245
Hadzhinikolova, L., Ivanova, A., Hubenova, T.: HEMIJSKI I MASNO KISELINSKI SASTAV MESA IVERKA (<i>PSETTA MAXIMA MAEOTICA</i>) IZ BUGARSKOG DELA CRNOG MORA	248
Ighwela, A.K., Ahmad, B.A., Abol-Munafi, A.B.: EKONOMSKA EFIKASNOST DODAVANJA MALTOZE U ISHRANI MLAĐI NILSKE TILAPIJE (<i>OREOCHROMIS NILOTICUS</i>)	255
Ikica, Z., Đurović, M., Joksimović, A., Mandić, M., Marković, O., Pešić, A.: NEKI BIOLOŠKI PARAMETRI GRDOBE (<i>LOPHIUS BUDEGASSA</i> SPINOLA, 1807) U VODAMA CRNE GORE (JUGOISTOČNI JADRAN)	257
Ivanova, A., Hadzhinikolova, L.: KVALITET VODE U SISTEMIMA GAJENJA ŠARA NA SA RAZLIČITIM STEPENOM INTENZIFIKACIJE	265
Ivanović, J., Janjić, J., Milanov, R., Bošković, M., Glamočlija, N., Raičević, S., Baltić, Ž.M.: KONCENTRACIJA METALA U VODI I SEDIMENTU REKE DUNAV	272

Janjić, J., Ivanović, J., Jovanović, D., Marković, R., Starčević, M., Đorđević, V., Baltić, Ž.M.: KONCENTRACIJA METALA U MIŠIČNOM TKIVU RIBA IZ RAZLIČITIH RIBNJAKA	278
Jović, M., Onjia, A., Tanaskovski, B., Stanković, S.: IZLOŽENOST LJUDI DELOVANJU 17 ELEMENATA PUTEM KONZUMIRANJA DAGNJI	285
Yerlikaya, P., Gokoglu, N., Yatmaz, A. H., Ucak, I.: EFEKTI DODATKA TRANSGLUTAMINAZE NA PROMENE KVALITETA MLEVENOG MESA DUŽIČASTE PASTRMKE	291
Kartalović, B., Živkov-Baloš, M., Prica, N., Babić, J., Jovanović, S., Petrović, J., Ćirković, M.: ZASTUPLJENOST ORGANOHLORNIH PESTICIDA U FILETIMA OSLIĆA	293
Kartalović, B., Ćirković, M., Jakšić, S., Pelić, M., Ljubojević, D., Babić, J., Milošević, N.: UTICAJ MATRIKSA NA ODREĐIVANJE ANTIPARAZITIKA HPLC METODOM	298
Kasa, E., Bernath, G., Kollar, T., Žarski, D., Lujčić, J., Marinović, Z., Bokor Z., Hegyi, A., Urbanyi B., Horvath, A.: VITRIFIKACIJA MLEČA GRGEČA (<i>PERCA FLUVIATILIS</i>)	303
Kesbiç, S.O., Yiğit, M., Acar, Ü., Bulut, M., Gültepe, N., Yalçın, F.: ODNOS IZMEĐU BOJE BAZENA I PRIRASTA MLAĐI EVROPSKOG BRANCINA (<i>DICENTRARCHUS LABRAX</i>)	309
Kim, S.H., Choi, K.D., Cho, H.S.: EFEKAT UKLJUČIVANJA U HRANLJIVE SMEŠE ADITIVA RAZLIČITOG POREKLA NA RAST, TELESNI SASTAV I OTPORNOST MLAĐI CRNOG MORSKOG GRGEČA (<i>SEBASTES SCHLEGELI</i>)	311
Kebapcioglu, T., Begburs, R.C.: INTRODUKOVANE VRSTE RIBA U ANTALIJSKOM ZALIVU	316
Krizmanić, J., Subakov Simić, G., Vidaković, D., Marjanović, P.: ANALIZA KVALITETA VODE PRITOKA VRUTCI AKUMULACIJE POMOĆU DIATOMNIH INDEKSA	318
Kostić, D., Smederevac-Lalić, M., Skorić, S., Lenhardt, M., Naunović, Z., Hegediš, A.: SAVREMENIPRISTUPI U MONITORINGU KVALITETA VODA U AKVAKULTURI	323
Kovačević, S., Radojković, N., Milošković, A., Radenković, M., Simić, S., Ćirković, M., Simić, V.: MOGUĆNOST KONZERVACIJE I ODRŽIVOG KORIŠĆENJA PLEMENITOG RAKA <i>ASTACUS ASTACUS</i> U SRBIJI	328
Kostić, J., Kolarević, S., Kračun-Kolarević, M., Aborgiba, M., Knežević-Vukčević, J., Gačić, Z., Lenhardt, M., Vuković-Gačić, B.: KAKO POPLAVE MODIFIKUJU GENOTOKSIČNI ODGOVOR SLATKOVODNIH RIBA?	333

Lolić, S., Matavulj, M., Dekić, R.: DISTRIBUCIJA FITOPLANKTONA U RIBNJACKOM JEZERU PREVLAKA (BARDAČA)	339
Ljubojević, D., Novakov, N., Pelić, M., Đorđević, V., Radosavljević, V., Jovanović, R., Čirković, M.: ULJA BILJNOG POREKLA U ISHRANI CIPRINIDNIH VRSTA RIBA	345
Ljubobratović, U., Péter, G., Horváth, Z., Endre, B., Lengyel, S., Kovács, G., Rónyai, A.: PERFORMANSE TRI POPULACIJE MLAĐI SMUĐA (<i>SANDER LUCIOPERCA</i>) IZ MAĐARSKJE U INTENZIVNOM UZGOJU	350
Maksimović, T., Rončević, S., Kukavica, B.: BIOAKUMULACIJA Cu I Zu U NEKIM AKVATIČNIM MAKROFITAMA NA PODRUČJU RIBNJAKA BARDAČA	356
Marinović, Z., Lujić, J., Bolić-Trivunović, V., Marković, G.: U SUSRET POBOLJŠANJU PROCENE RASTA RIBE: MULTI-MODELNA ANALIZA I NJENA PRIMENA KOD SLATKOVODNIH RIBA	358
Mamedov, Ch., Hajiyev, R., Akhundov, M.: ULTRAZVUČNA DIJAGNOSTIKA JESETARSKIH VRSTA I KORIŠĆENJE REPRODUKTIVNIH ŽENKI NA MRESTILIŠTU ZA JESETARKE VRSTE U AZERBEJDŽANU	363
Mente, E., Berillis, P.: HISTOLOGIJA CREVA PASTRMKE (<i>ONCORHYNCHUS MYKISS</i>) PRE I POSLE OBROKA	369
Milošković, A., Radojković, N., Simić, V., Kovačević, S., Simić, S., Radenković, M.: UKLIJA (<i>ALBURNUS ALBURNUS</i>) KAO POTENCIJALNI BIOINDIKATOR ZAGAĐENJA TEŠKIM METALIMA	373
Nikolova, L.: MORFOMETRIJSKI PARAMETRI LOKALNOG ŠARANA RAZLIČITE LJUSKAVOSTI GAJENOG U AUTOHTONIM PROIZVODNIM EKOSISTEMIMA	379
Novakov, N., Čirković, M., Ljubojević, D., Adžić, B., Pelić, M., Božić, B., Babić, J., Todorović, D.: <i>SPHAEROSPORA MOLNARI</i> (MYXOZOA) KOD ŠARANSKE MLAĐI	384
Ostojić, A., Vaško, Ž., Savić, N., Pavličević, J.: SLIČNOSTI I RAZLIKE U NAVIKAMA POTROŠAČA RIBE U TRI GRADA REPUBLIKE SRPSKE	389
Pajčin, R., Paraš, S., Savić, N., Radović, I., Filipović, S., Milavica, D.: UPOREDNA ANALIZA MORFOMETRIJSKIH PARAMETARA POTOČNIH PASTRMKI (<i>SALMO TRUTTA MORPHA FARIO</i>) SA LOKALITETA REKE PLIVE I VRBANJE	396
Papić, R., Milić, T.: ZNAČAJ SOCIJALNIH MREŽA U PROCESU PRIJAVLJIVANJA ZA PODRŠKU RURALNOM RAZVOJU	402

Pavličević, J., Ostojić, A., Glamuzina, B., Savić, N., Rozić, I., Kanlić, V.: SPOLJNOTRGOVINSKA RAZMJENA BOSNE I HERCEGOVINE PROIZVODIMA RIBARSTVA	407
Pelić, M., Ćirković, M., Kartalović, B., Ljubojević, D., Novakov, N., Jovanić, S., Živkov Baloš, M.: ISHRANA ŠARANA SA HRANOM KOJA SADRŽI NUSPROIZVODE IZ KLANICE	414
Pešić, A., Đurović, M., Joksimović, A., Marković, O., Ikica, Z.: KONDICIONO STANJE RIBA, ORADA (<i>SPARUS AURATA</i>) I BRANCIN (<i>DICENTRARCHUS LABRAX</i>), SA FARME U BOKOKOTORSKOM ZALIVU (JUGOISTOČNI JADRAN)	419
Poleksić, V.: DOPRINOS CaSA TEMPUS PROJEKTA OBRAZOVANJU I PRAKSI U OBLASTI AKVAKULTURE	425
Ponomareva, V.E., Volkov, A.A., Ponomareva, V.M., Shubina, A.E.: GENETSKA STUDIJA LIPLJANA (<i>THYMALLUS THYMALLUS</i>) NA SEVERU EVROPSKOG DELA RUSIJE	429
Popović, N., Marković, V., Atanacković, A., Vasiljević, B., Andus, S., Ilić, M., Kračun-Kolarević, M., Paunović, M.: ANALIZA KVALITETA VODE REKE JABLANICE NA OSNOVU ZAJEDNICE VODENIH MAKROINVERTEBRATA	434
Popović, N., Marković, V., Tomović, J., Duknić, J., Tubić, B., Marinković, N., Čanak-Atlagić, J., Paunović, M.: ANALIZA KVALITETA VODE REKE MLAVE NA OSNOVU VODENIH MAKROINVERTEBRATA	439
Rechulicz, J.: PRISUSTVO I POPULACIONE KARAKTERISTIKE INVAZIVNE VRSTE AMURSKI SPAVAČ (<i>PERCCOTTUS GLENII</i>) U MRTVAJAMA U JUGOISTOČNOM DELU POLJSKE	444
Relić, R., Rašković, B., Vukojević, D., Stanković, M., Dulić, Z., Marković, Z., Poleksić, V.: POVREDE I DEFORMITETI KOD ŠARANSKE MLAĐI GAJENE U RAZLIČITIM GUSTINAMA NASADA - PRELIMINARNI REZULTATI	446
Rudić, Ž., Vujović, B., Božić, M., Raičević, V.: STANJE SPECIJALNOG REZERVATA PRIRODE "LUDAŠKO JEZERO" SA BAKTERIOLOŠKOG ASPEKTA	451
Savić, N., Rogić, B., Drinić, M., Vučić, G., Važić, B., Kralj, A.: UTICAJ RAZLIČITIH NIVOVA ISHRANE NA KARAKTERISTIKE RASTA I TEKSTURU MESA DUŽIČASTE PASTRMKE (<i>ONCORHYNCHUS MYKISS</i> WAL.)	457
Sekulić, N., Krpo-Ćetković, J., Jojić, V., Galambos, L., Radošević, D., Snaj, A., Šanda, R., Marić, S.: BIOLOŠKE I EKOLOŠKE KARAKTERISTIKE CRNKU <i>UMBRA KRAMERI</i> KAO OSNOV ZA <i>IN-SITU</i> I <i>EX-SITU</i> ZAŠTITU	464

Simić, M., Veličković, T.: ULOGA I ZNAČAJ CENTARA ZA GENETSKO UNAPREĐENJE U OČUVANJU I ODRŽIVOM KORIŠĆENJU RIBLJEG FONDA SALMONIDA	467
Skorić, S., Višnjić-Jeftić Ž., Smederevac-Lalić, Jovičić, K., Hegediš, A.: KONCENTRACIJE ELEMENATA U TKIVIMA KLENA (<i>SQUALIUS CEPHALUS</i>) IZ AKUMULACIJA NACIONALNOG PARKA	472
Subotić, S., Višnjić-Jeftić, Ž., Spasić, S., Hegediš, A., Krpo-Četković, J., Lenhardt, M.: KONCENTRACIJE ELEMENATA KOD DVE VRSTE RIBA SA RAZLIČITIM PREFERENCIJAMA STANIŠTA I ISHRANE (ŠARAN I MANIĆ) U DUNAVU KOD BEOGRADA	480
Sunjog, K., Kolarević, S., Kračun-Kolarević, M., Gačić, Z., Lenhardt, M., Vuković-Gačić, B.: PROCENA GENOTOKSIČNOSTI KORIŠĆENJEM KOMETA TESTA U RAZLIČITIM TKIVIMA KLENA IZ REČNE VODE	485
Stanković, M., Dulić, Z., Živić, I., Marković, Z.: UPOREDNA ANALIZA PROIZVODNJE RAZLIČITIH NASADNIH KATEGORIJA ŠARANA U POLUINTENZIVNOM SISTEMU GAJENJA	489
Stanković, S., Tanaskovski, B., Jović, M.: PODACI O KONCENTRACIJAMA 30 ELEMENATA U DAGNJAMA <i>MYTILUS GALLOPROVINCIALIS</i>	494
Subotić, S., Višnjić-Jeftić, Ž., Spasić, S., Hegediš, A., Krpo-Četković, J., Lenhardt, M.: KONCENTRACIJE ELEMENATA U MIŠIČNOM TKIVU DVE VRSTE RIBA RAZLIČITOG TROFIČKOG NIVOVA (UKLIJA I ŠTUKA) U DUNAVU KOD BEOGRADA	500
Šarčević, B., Obradović, S., Stefanović, R., Radulović, M., Mirčić, D., Dekić, R., Živkov-Baloš, M.: MODEL ZAŠTITE PRIRODNIH RESURSA INTEGRACIJOM UPRAVLJAČKIH FUNKCIJA RIBARSKOG I LOVNOG PODRUČJA	506
Trbović, D., Marković, Z., Petronijević, R., Čanak, S., Spirić, D., Đorđević, V., Spirić, A.: PROMENE SASTAVA MASNIH KISELINA I SADRŽAJA LIPIDA U MESU ŠARANA (<i>CYPRINUS CARPIO L.</i>) U ZAVISNOSTI OD DODATNE HRANE	513
Zhelyazkov, G., Staykov, Y., Georgiev, D.: EFEKTI BETAINA KAO DODATKA U ISHRANI NA NEKE PROIZVODNE OSOBINE ŠARANA (<i>CYPRINUS CARPIO L.</i>) GAJENOG U RECIRKULACIONOM SISTEMU	518
Šarčević, B., Obradović, S., Stefanović, R., Radulović, M., Mirčić, D., Dekić, R., Živkov-Baloš, M.: PRIMENA PREBIOTIKA MOS-a U ISHRANI PASTRMKI	526
Živić, I., Trbović, D., Dulić, Z., Stanković, M., Živić, M., Marković, Z.: KOMPARATIVNA ANALIZA SASTAVA MASNIH KISELINA U PRIRODNOJ I DODATNOJ HRANI ŠARANA SA RIBNJAKA	534

Žunić, M., Živić, I., Stanković, M., Stojanović, K., Marković, Z.: MORFOLOŠKI DEFORMITETI USNOG APARATA RODA <i>CHIRONOMUS</i> (DIPTERA: CHIRONOMIDAE) IZAZVANI TEŠKIM METALIMA	546
--	------------

COMPARATIVE SHAPE ANALYSIS OF WILD AND REARED STERLET (*ACIPENSER RUTHENUS* L.)

GORČIN CVIJANOVIĆ¹, VOJTĚCH KAŠPAR², MIRJANA LENHARDT³

¹*Institut for Multidisciplinary Research, University of Belgrade, Kneza Višeslava 1, 11000
Belgrade, Serbia*

²*Faculty of Fisheries and Protection of Waters, University of South Bohemia in České
Budějovice, , Zátiší 728/II, 389 25 Vodňany, Czech Republic*

³*Institute for Biological Research "Siniša Stanković", University of Belgrade, Bul.
Despota Stefana 142, 11000 Belgrade Serbia*

UPOREDNA ANALIZA OBLIKA PRIRODNIH I UZGAJANIH KEČIGA (*ACIPENSER RUTHENUS* L.)

Apstrakt

Usled ugroženosti kečige, brojni programi poribljavanja postoje, pa je od velikog značaja procena odgovarajućih primeraka za te programe. Metodom geometrijske morfometrije su analizirane promene oblika jedinki iz prirodnih populacija i iz uzgoja. ANOVA varijable veličine je pokazala da su jedinke iz uzgoja krupnije u odnosu na jedinke iz prirodnih populacija. Takođe, CVA varijable oblika je pokazala promene u predelu glave i repa kod jedinki iz prirodnih populacija. Ovi rezultati mogu predstavljati dobru osnovu kod procene odgovarajućih jedinki za poribljavanje otvorenih voda.

*Ključne reči: geometrijska morfometrija, poribljavanje, recirkularni sistem uzgoja,
Keywords: geometric morphometrics, stocking, recirculating aquaculture system*

INTRODUCTION

Sterlet (*Acipenser ruthenus* L.) populations have experienced a decline during 20th century, throughout Danube River basin, and their presence in Germany and Austrian sections is dependent on stocking efforts (Reinartz, 2002). To compensate decline of wild sterlet populations and boost their commercial harvest, countries in the Middle and Lower Danube also carried out stocking with larvae, fingerlings and juveniles (Smederevac-Lalić *et al.*, 2011; Lenhardt *et al.*, 2012). However, according to Neff *et al.* (2011), current breeding

programs are too focused on genetic diversity and do not take into account complexities of the genetic architecture of wild populations fitness. Additionally, risk associated with (re) stocking include: increase competition and/or predation (Aprahamian *et al.*, 2003), inbreeding or outbreeding depressions (Ludwig *et al.*, 2009), while adaptation ability of stock specimens can be jeopardized if they are introduced in non-native areal (Ludwig, 2006). Some meristic and morphological differences between wild and reared sterlet were reported by Lenhardt *et al.* (2012), while various authors used shape analysis to assess body variations between wild and hatchery-reared specimens (von Cramon-Taubadel *et al.*, 2006; Cvijanović *et al.*, 2011; Arechavala-Lopez *et al.*, 2012). Bearing all this in mind, careful selection of proper specimens for stocking programs should be mandatory.

The objective of this study is to assess the body variations between wild and farmed sterlet, as well as to assess differences in body shape between two different rearing systems.

MATERIAL AND METHODS

During July 2011, 68 specimens of sterlet were caught with gill nets by professional fishermen at the Tisza River (26 specimens near Bečej, N 45°37'39.22" E 20°05'40.01") and the Danube River (42 specimens near Bačka Palanka, N 45°14'05.22" E 19°22'20.64") sites. Acquiring samples from the aquaculture facility „FISH FARM“ (Vršac, N 45°07'17.84" E 21°18'08.25") and Faculty of Fisheries and Protection of Waters (Vodňany, N 49°09'38.15" E 14°10'25.84"), was during January and February 2015, with collection of 35 and 32 specimens respectively. Both aquaculture facility represent recirculating aquaculture systems (RAS), with similar water flow regime (7m³/h and 6.5-7m³/h, respectively). Each fish was photographed from lateral (left side) and ventral aspect, with a Panasonic DMC-FZ40 digital camera mounted on tripod, at the same resolution and with ruler placed next to each specimen. In this study 11 landmarks defining the body outline were chosen (Fig. 1) for both landmark configuration (lateral and ventral). TpsDig software (Rohlf, 2005) was used to acquire morphometric data. Generalized Least Squares Procrustes superimposition (GLS) was applied for shape analyses, because it preserves all information about shape variability among the specimens and remove only information unrelated to shape (scale, position and orientation; Rohlf and Slice, 1990). For the analyses of size difference, we used the centroid size (CS, which represents the square root of the sum of the squared distances of a set of landmarks from the centre of gravity). Cordgen6 software (IMP series; Sheets, 2003) was used for calculation of the CS and GLS. An analysis of variance (ANOVA) was used to determine if CS differed significantly depending on location or age. Differences in shape between groups based on locations and between age classes were determined with the Canonical Variate Analysis (CVA). The purpose of CVA is to simplify the description of difference among groups (Zelditch *et al.*, 2004), and analysis was carried out in CVAGEN6 software (IMP series, Sheets, 2003). Age data were obtained from aquaculture, with sterlet from „FISH FARM“ (35 specimens) and Vodňany (32 specimens) belonging to 0+ age class. All assessed individuals from wild were immature, and based on the estimate age at first maturity in the Danube sterlet populations (Kolarević, 2004), they were 0+ (68 specimens).




Figure 1. Position of the landmarks: a) lateral aspect: (1) snout tip, (2) eye, (3) front of mouth opening, (4) anterior insertion of the first dorsal scutum, (5) apex of the opercular spine, (6) dorsal insertion of pectoral fin, (7) anterior insertion of pelvic fin, (8) anterior insertion of anal fin, (9) anterior insertion of dorsal fin, (10) fork, (11) tip of caudal fin ; b) ventral aspect: (1) snout tip, (2)-(3) points where the line (connecting insertions of barbell) crosses the profile, (4)-(5) point where the line (connecting side of mouth opening) crosses the profile, (6)-(7) insertion of pectoral fins, (8)-(9) insertion of pelvic fins, (10) tip of anal opening, (11) insertion of anal fin.

RESULTS

All samples ($n=135$) in terms of size (expressed as CS) showed significant differences between groups based on locality. ANOVA of CS values for grouping based on locality show significant differences for both landmark configuration ($F=272.87$, $p<0.001$ and $F=131.75$, $p<0.001$ respectfully). A box-plot representing the distribution of CS show differences in CS values (Fig. 2). Tukey HSD post-hoc test show that differences of CS (lateral configuration) were higher between Vodňany and wild sterlet ($p=0.000008$ for both sampling sites), while differences between two rearing systems were also significant ($p=0.0377$). Same differences for ventral landmark configuration was observed between Vodňany and wild sterlet ($p=0.000008$ for both sampling sites), while differences between two rearing systems were somewhere higher ($p=0.000024$).




Figure 2. Box-plot of centroid size: a) grouping based on locality (lateral landmarks configuration); b) grouping based on locality (ventral landmarks configuration)

Canonical Variate Analysis (CVA) using partial warp scores show significant ($p<0.001$) differences between groups from different localities for both sets of landmarks configurations. For lateral landmarks configuration (Fig. 3), first CVA axes ($\lambda=0.038$, $\chi^2=400.61$, $d.f.=54$) separated all sterlet from Vodňany specimens, while second CVA axes ($\lambda=0.31$, $\chi^2=145.46$, $d.f.=34$) separated wild from „FISH FARM“. For ventral configuration (Fig. 4), first CVA axes ($\lambda=0.015$, $\chi^2=513.33$, $d.f.=54$) separated wild and reared specimens, while

second CVA axes ($\lambda=0.16$, $\chi^2=226.87$, d.f.=34) separated specimens from different rearing conditions. Eigenvalue for first two canonical axes (at lateral landmarks configurations) were 9.27 and 3.47 respectively, while the Eigenvalue for first two canonical axes (at ventral landmarks configurations) were 6.96 and 1.35 respectively.




Figure 3. CVA score (lateral landmarks configuration) of first and second canonical variate analyses based on partial warps and uniform scores for all specimens (wild and reared) and partial warp grid for comparison between locality over first canonical variates.




Figure 4. CVA score (ventral landmarks configuration) of first and second canonical variate analyses based on partial warps and uniform scores for all specimens (wild and reared) and partial warp grid for comparison between locality over first canonical variates.

DISCUSSION AND CONCLUSION

Shape analysis performed in the present study indicated that there were differences between reared and wild sterlet, as well as body variations between both RAS systems.

In terms of centroid size, there was a significant difference between wild and reared sterlets. Also, difference was observed among both rearing systems and also among separate wild populations of sterlet. Fish from aquaculture have bigger body size, which can be attributed to better feeding conditions. Also, differences in CS value for both RAS systems can be attributed to different broodstock material.

Reinartz *et al.* (2011) produced clear evidence for a panmictic sterlet population across the entire Danube and its tributaries, so the question of whether local adaptations exist is something that has to be address in restocking programs. Shape analysis suggests that there is a significant difference between reared and wild starlet for both landmarks configura-

tions. CVA show that tail region of Vodňany sterlets is narrowed if compared with other samples, when lateral landmarks configuration is applied. Since the conditions of rearing are similar in both Vodňany and Vršac RAS, this may be indicator of different broodstock material. In ventral landmarks configuration, both tail and head region of wild sterlets are thinned. Changes in head and tail region can be attributed to different flow conditions in wild and/or different food regime of wild sterlets. Still, future researches are needed, and especially detail evaluation of head and tail regions with additional landmarks and/or semi-landmarks, defining body shape changes.

As Loy *et al.* (1999) stated, geometric morphometrics is a highly powerful tool and it's recommended in wild sturgeons populations, characterization of hybrids, and in quantifying within population variability and morphological plasticity. Also, this method can be good tool for optimization of breeding conditions for stocking specimens, but further research is needed.

ACKNOWLEDGEMENT

This study represents activities within the Project No. 173045, funded by the Ministry of Education, Science and Technological Development of the Republic Serbia, and also supported by AQUAEXCEL TNA project 0134/09/09/24b/B.

REFERENCES

Aprahamian, M.W., Smith, K.M., McGinnity, P., McKelvey, S., Taylor, J. (2003): Restocking of salmonids-opportunities and limitations. *Fisheries Research* 62: 211-227.

Arechavala-Lopez, P., Sanchez-Jerez, P., Bayle-Sempere, J.T., Sfakianakis, D.G., Soma-rakis, S. (2012): Morphological differences between wild and farmed Mediterranean fish. *Hydrobiologia* 679: 217-231.

Cvijanović, G., Cvijanović, M., Jarić, I., Lenhardt, M. (2011): Use of shape analysis in the investigation of disputable meristic characters for *Ameiurus melas* (Rafinesque, 1820) and *Ameiurus nebulosus* (Lesueur, 1819). *Journal of Applied Ichthyology*, 28: 617-622.

Kolarević, J. (2004): Population-ecological study of sterlet (*Acipenser ruthenus* L.) in waters of Danube on territory of Belgrade. MSc thesis, University of Belgrade, Serbia [In Serbian with English Summary]

Lenhardt, M., Jarić, I., Cvijanović, G., Kolarević, J., Gačić, Z., Smederevač-Lalić, M., Višnjic-Jeftić, Ž. (2012): Comparison of morphometrical characters between wild and cultured sterlet (*Acipenser ruthenus* L.). *Slovenian Veterinary Research* 49: 177-84.

Loy, A., Bronzi, P., Molteni, S. (1999): Geometric morphometrics in the characterization of the cranial growth pattern of Adriatic sturgeon *Acipenser naccarii*. *Journal of Applied Ichthyology*, 15: 50-53.

Ludwig, A. (2006): A sturgeon view on conservation genetics. *European Journal of Wildlife Research* 52: 3-8.

Ludwig, A., Lippold, S., Debus, L., Reinartz, R. (2009): First evidence of hybridization between endangered sterlet (*Acipenser ruthenus*) and exotic Siberian sturgeon (*Acipenser baerii*) in the Danube River. *Biological Invasions* 11: 753-760.

Neff, B.D., Gamer, S.R., Pitcher, T.E. (2011): Conservation and enhancement of wild fish populations: preserving genetic quality versus genetic diversity. *Canadian Journal of Fisheries and Aquatic Science* 68: 1139-1154.

Sheets, H.D. (2003): IMP – integrated morphometrics package. Department of Physics. Canisius College, Buffalo. Available at: <http://www3.canisius.edu/~sheets/morphsoft.html> [accessed on 8 April 2015]

Smederevac-Lalić, M., Jarić, I., Višnjić-Jeftić, Ž., Skorić, S., Cvijanović, G., Gačić, Z., Lenhardt, M. (2011). Management approaches and aquaculture of sturgeons in the Lower Danube region countries. *Journal of Applied Ichthyology* 27: 94-100.

Reinartz, R. (2002): Sturgeons in the Danube River - Biology, Status, Conservation. Literature and information study on behalf of the International Association for Danube Research (IAD), Berzik Oberpfay and Landesfischereiverband Bayern 150S.

Reinartz, R., Lippold, S., Leickfeldt, D., Ludwig, A. (2011): Population genetic analyses of *Acipenser ruthenus* as a prerequisite for the conservation of the uppermost Danube population. *Journal of Applied Ichthyology*, 27: 477-483.

Rohlf, F.J. (2005): TpsDig program, version 2.04, ecology & evolution, SUNY at stony brook. Available at: <http://life.bio.sunysb.edu/morph/> [accessed on 8 April 2015]

Rohlf, F.J., Slice, D. (1990): Extensions of the Procrustes method for the optimal superimposition of landmarks. *Systematic Zoology* 39: 40-59.

Von Cramon-Taubadel, N., Ling, E.N., Cotter, D., Wilkins, N.P. (2006): Determination of body shape variation in Irish hatchery-reared and wild Atlantic salmon. *Journal of Fish Biology* 66: 1471-1482.

Zelditch, M.L., Swiderski, D.L., Sheet, H.D., Fink, W.L. (2004): *Geometric morphometrics for biology: a primer*. Elsevier Academic Press, London, UK.