

# INTERNATIONAL CONGRESS ON THE ZOOGEOGRAPHY AND ECOLOGY OF GREECE AND ADJACENT REGIONS

## **ABSTRACTS**



Hellenic Zoological Society Mytilini 2022



### **Table of Contents**

	Page
Organizing and Scientific Committee	3
Foreword	
Invited Lecture Abstracts	5
Oral Presentation Abstracts	10
Poster Presentation Abstracts	51
Author index	120

#### International Congress on the Zoogeography and Ecology of Greece and Adjacent Regions 15th ICZEGAR, 12-15 October 2022 Mytilini, Greece

#### **Organizing and Scientific Committee**

**Assist. Prof. Triantaphyllos F. Akriotis** - Department of Environment, University of the Aegean

Prof. Drosos Koutsoubas - Department of Marine Sciences, University of the Aegean

**Assist. Prof. Ioannis E. Batjakas** - Department of Marine Sciences, University of the Aegean

**Prof. Panayiotis Dimitrakopoulos** - Department of Environment, University of the Aegean

**Assist. Prof. Nikos Fyllas** - Department of Environment, University of the Aegean **Dr. Christos Georgiadis** - Zoological Museum, Department of Biology, National and Kapodestrian University of Athens

**Prof. Stelios Katsanevakis** - Department of Marine Sciences, University of the Aegean **Assoc. Prof. Georgios Kokkoris** - Department of Marine Sciences, University of the Aegean

**Dr Petros Lymberakis** –Natural History Museum of Crete, Hellenic Zoological Society

**Prof. Dora Petanidou** - Department of Geography, University of the Aegean

**Assist. Prof. Konstantinos Theodorou** - Department of Environment, University of the Aegean

Assist. Prof. Vasilis Trygonis - Department of Marine Sciences, University of the Aegean Assist. Prof. Thomas Tscheulin - Department of Geography, University of the Aegean Dr Yiannis Zevgolis - Department of Environment, University of the Aegean Prof. Nikolaos Zouros - Department of Geography, University of the Aegean

**Editors**: Akriotis, T., Koutsoubas, D., Zannetos, P., Zevgolis, Y., Georgiadis, C., S., Lymberakis, P.

**Recommended citation**: Akriotis, T., Koutsoubas, D., Zannetos, P., Zevgolis, Y., Georgiadis, C., S., Lymberakis, P. (eds) 2022. Abstracts of the International Congress on the Zoogeography and Ecology of Greece and Adjacent Regions, 15th ICZEGAR, 12-15 October 2022, Mytilene, Lesvos, Greece. Hellenic Zoological Society, 123 pages.

© 2022, Hellenic Zoological Society

Abstracts may be reproduced provided that the source is appropriately acknowledged, and reference cited.

### Spring migration at the southmost stop-over site in Europe, the Gavdos Island (Crete, Greece)

Milica Ivović<sup>1</sup>, Marko Raković<sup>2</sup>, Stefan Skorić<sup>2</sup>, Anastasia Perodaskalaki<sup>1</sup>, <u>Eleana</u>
<u>Kazila</u><sup>1\*</sup>, Maria Solanou<sup>3</sup>

<sup>1</sup>Natural History Museum of Crete, University of Crete, Heraklion, Greece <sup>2</sup>Institute for multidisciplinary research, University of Belgrade, Department of biology and inland waters protection, Belgrade, Serbia

<sup>3</sup>Institute of Marine Biological Resources and Inland Waters, Hellenic Centre for Marine Research,

Former US Base at Gournes, PO Box 2214, PC 71003 Heraklion, Crete, Greece

\* eleanakazila@gmail.com

The island of Gaydos, located south of Crete and only 250km north of African coast plays an important role for migratory birds in spring being the first land where birds can re-fuel and rest after the long open-sea crossing. Bird ringing surveys conducted in spring of 2002-2004 revealed that the island funnels migrants from a very wide range of Eurasia, probably reaching east to Siberia. The survey was initiated again after 18 years in early June 2021, and carried out in full intensity in spring 2022, with 500m of mist nets used for 75 days from mid-March to end of May. The nets were opened from 06:00-19:00 at two ringing sites on the island, covering all the major habitats for birds on passage, excluding the shore. A total of 3103 individuals of 63 species were ringed, with 49 individuals of 19 species retrapped, and a single foreign recovery (Germany) obtained. The most trapped species was Hirundo rustica (15.5%), followed by Sylvia borin (14.44%) and Motacilla flava (8.5%). A notable number of Sylvia communis (7%), Muscicapa striata (6.9%), Anthus trivialis (4%) and Ficedula hypoleuca (4.16%) were also trapped. Noteworthy were also the records of *Merops persicus* (N=2), and *Sylvia* ruepelli (N=7). Sylvia species were the most common genus trapped (28%). These results call for an intensification of mist-netting of birds at Gavdos, as the study of migratory patterns on this remote island can provide a unique window into the bird migration across the central Aegean migratory corridor.

**Keywords:** Bird migration, Gavdos, spring passage